

STORAGE AND DISPLAY


| Tackboards | 7.2 |
|------------------------------------|-----|
| Pegboards | 7.3 |
| Magnetic White Boards | 7.4 |
| Storage Cabinets | 7.5 |
| Pedestals, Hanging and Mobile | 7.6 |
| Pencil Drawer | 7.7 |
| Accessory Mounting Brackets | 7.8 |
| Utility Dispenser Mounting Bracket | 79 |











TACKBOARDS

- Tackboards provide for the display of notes, prints, drawings and other items in workstations.
- Opposite side of Single-Sided Tackboards are finished with cardboard backers.
- Double-Sided Tackboards mount within the openings of UltraFrames and ErgoStat® Riser Frames with color matched brackets. Fabric encases the core material for a frameless appearance.

NOTES —

- » Double-Sided Tackboards cannot be mounted to solid panels.
- » Two Single-Sided Tackboards cannot be mounted level with each other in a corner condition. Two Double-Sided Tackboards can be mounted in a corner condition.
- » Customer's Own Material (COM) is accepted. Consult factory.

How to Specify

Step 1. Product Number

TBS15 Tackboard, single-sidedTB15 Tackboard, double-sided

Step 2. Width

24 24" wide **30** 30" wide **36** 36" wide **48** 48" wide **60** 60" wide

Step 3. Bracket Paint Finish

Double-Sided Tackboards only


AWArctic WhiteGLGrey Light SmoothASArgent SilverGTGrey Light TextureBKBlackNWNeutral WhiteBTBlack TextureSTSand Texture


Step 4. Fabric color

Standard Fabrics

A2035 Angora A2079 Graphite
A2053 Asteroid M040 Limestone
A2047 Eucalyptus M024 Subway
A2084 Geranium A2691 Waterfall

| Product | Description | Height | | Width | | Depth | | Weight | |
|--------------|--------------|--------|------|-------|------|-------|------|--------|------|
| Number | Description | in. | [mm] | in. | [mm] | in. | [mm] | lb. | [kg] |
| TBS1524 | Single-sided | 15 ½ | 394 | 24 | 610 | 1 | 25 | 4 | 1.8 |
| TBS1530 | Single-sided | 15 ½ | 394 | 30 | 762 | 1 | 25 | 5 | 2.3 |
| TBS1536 | Single-sided | 15 ½ | 394 | 36 | 914 | 1 | 25 | 6 | 2.7 |
| TBS1548 | Single-sided | 15 ½ | 394 | 48 | 1219 | 1 | 25 | 7 | 3.2 |
| TBS1560 | Single-sided | 15 ½ | 394 | 60 | 1524 | 1 | 25 | 8 | 3.6 |
| TB1524 | Double-sided | 15 | 381 | 24 | 610 | 1 | 25 | 7 | 3.2 |
| TB1530 | Double-sided | 15 | 381 | 30 | 762 | 1 | 25 | 9 | 4.1 |
| TB1536 | Double-sided | 15 | 381 | 36 | 914 | 1 | 25 | 11 | 5.0 |
| TB1548 | Double-sided | 15 | 381 | 48 | 1219 | 1 | 25 | 14 | 6.4 |
| TB1560 | Double-sided | 15 | 381 | 60 | 1524 | 1 | 25 | 20 | 9.1 |
| Rev 01/13/25 | | | | | | | | | |





PEGBOARDS

- Pegboards provide for the display of tools and work aids in workstations.
- Pegboards are formed of steel and feature 1/8" dimpled holes.
- Pegboards mount within the openings of UltraFrames and ErgoStat® Riser Frames with four brackets.
- · Load capacity 100 lbs. evenly distributed.

— NOTES —

- $\ensuremath{\text{\textit{w}}}$ Pegboards are single-sided; items cannot be hung from the opposite side.
- » Pegboards cannot be mounted to solid Panels.
- » Two Pegboards can be mounted back-to-back in a single frame opening. Pegboards cannot be mounted back-to-back with Double-Sided Tackboards or Magnetic White Boards.

How to Specify

Step 1. Product Number

PB24

Step 2. Width


24 24" wide30 30" wide36 36" wide48 48" wide60 60" wide


Step 3. Paint Color Code


STANDARD


AWArctic WhiteGLGrey Light SmoothASArgent SilverGTGrey Light TextureBKBlackNWNeutral WhiteBTBlack TextureSTSand Texture

| Product | Product Description | | Height | | Width | | Depth | | ight |
|-------------|---------------------|-----|--------|--------|-------|-----|-------|-----|------|
| Number | Description | in. | [mm] | in. | [mm] | in. | [mm] | lb. | [kg] |
| PB2424 | Pegboard | 24 | 610 | 18 ¼ | 464 | 3/4 | 19 | 9 | 4.1 |
| PB2430 | Pegboard | 24 | 610 | 24 ¼ | 616 | 3/4 | 19 | 13 | 5.9 |
| PB2436 | Pegboard | 24 | 610 | 30 ¼ | 768 | 3/4 | 19 | 15 | 6.8 |
| PB2448 | Pegboard | 24 | 610 | 42 1/4 | 1073 | 3/4 | 19 | 20 | 9.1 |
| PB2460 | Pegboard | 24 | 610 | 54 1/4 | 1378 | 3/4 | 19 | 25 | 11.3 |
| Rev 6/12/24 | | | | | | | | | |









MAGNETIC WHITE BOARDS

- Each board provides a white erasable writing surface and magnetic capability on either one or two sides of the workstation.
- Frame-mount and ErgoStat® White Boards mount within the opening of UltraFrames and ErgoStat Riser Frames with two colormatched brackets (MBS, MBD) and one color-matched bracket (MBE).
- Frame-mount board brackets allow for boards to be mounted centered or flush with one side of the frame.
- Each White Board includes a color-matched magnetic marker tray and color-matched bracket/s.

— NOTES —

- » Frame-Mount White Boards cannot be mounted to solid Panels.
- » ErgoStat Magnetic White Boards can only be mounted on Riser Frames.

How to Specify

Step 1. Product Number

MBS24 Magnetic White board, panel-mount
 MBD24 Magnetic White board, frame-mount
 MBE18 Magnetic Whiteboard, ErgoStat


Step 2. Width


24 24" wide **30** 30" wide **36** 36" wide **48** 48" wide **60** 60" wide

Step 3. Paint Color Code

AWArctic WhiteGLGrey Light SmoothASArgent SilverGTGrey Light TextureBKBlackNWNeutral WhiteBTBlack TextureSTSand Texture

| PRODUCT | DECEMPTION | HEIGHT | | WIDTH | | DEPTH | | WEIGHT | |
|-------------|-----------------------------------|--------|------|--------|------|-------|------|--------|------|
| NUMBER | DESCRIPTION | IN. | [MM] | IN. | [MM] | IN. | [MM] | LB. | [KG] |
| MBS2424 | Magnetic white board, panel-mount | 23 ¾ | 603 | 18 ¼ | 464 | 0 | 4 | 5 | 2 |
| MBS2430 | Magnetic white board, panel-mount | 23 ¾ | 603 | 24 1/4 | 616 | 0 | 4 | 6 | 3 |
| MBS2436 | Magnetic white board, panel-mount | 23 ¾ | 603 | 30 ¼ | 768 | 0 | 4 | 6 | 3 |
| MBS2448 | Magnetic white board, panel-mount | 23 ¾ | 603 | 42 1/4 | 1073 | 0 | 4 | 7 | 3 |
| MBS2460 | Magnetic white board, panel-mount | 23 ¾ | 603 | 54 ¼ | 1378 | 0 | 4 | 9 | 4 |
| MBD2424 | Magnetic white board, frame-mount | 23 ¾ | 603 | 18 ¼ | 464 | 0 | 4 | 9 | 4 |
| MBD2430 | Magnetic white board, frame-mount | 23 ¾ | 603 | 24 1/4 | 616 | 0 | 4 | 12 | 5 |
| MBD2436 | Magnetic white board, frame-mount | 23 ¾ | 603 | 30 ¼ | 768 | 0 | 4 | 15 | 7 |
| MBD2448 | Magnetic white board, frame-mount | 23 ¾ | 603 | 42 1/4 | 1073 | 0 | 4 | 17 | 8 |
| MBD2460 | Magnetic white board, frame-mount | 23 ¾ | 603 | 54 ¼ | 1378 | 0 | 4 | 20 | 9 |
| MBE1824 | Magnetic whiteboard, ErgoStat | 17 ¾ | 451 | 20 ¼ | 514 | 0 | 4 | 4 | 2 |
| MBE1830 | Magnetic whiteboard, ErgoStat | 17 ¾ | 451 | 26 ¼ | 667 | 0 | 4 | 4 | 2 |
| MBE1836 | Magnetic whiteboard, ErgoStat | 17 ¾ | 451 | 32 ¼ | 819 | 0 | 4 | 5 | 2 |
| Rev 02/25/2 | 5 | | | | | | | | |





STORAGE CABINETS

- · Storage Cabinets provide secure storage in workstations.
- Steel assemblies each include two shelf ends, a bottom shelf, one door unit including top and a back panel.
- Doors retract above the top panel and are equipped with individual key locks for security.
- Storage cabinets meet or exceed ANSI-BIFMA standards for safety and reliability.

— NOTES —

» Storage Cabinet doors are keyed randomly and differently from the other. Contact factory for other keying options. Available key numbers are UM226 thru UM425.

How to Specify

Step 1. Product Number

SCA


Step 2. Width


24 24" wide **30** 30" wide **36** 36" wide **48** 48" wide **60** 60" wide

Step 3. Paint Color Code

AWArctic WhiteGLGrey Light SmoothASArgent SilverGTGrey Light TextureBKBlackNWNeutral WhiteBTBlack TextureSTSand Texture

| Product | Description | Height | | Width | | Depth | | Weight | |
|--------------|-----------------|--------|------|-------|------|-------|------|--------|------|
| Number | Description | in. | [mm] | in. | [mm] | in. | [mm] | lb. | [kg] |
| SCA24 | Storage cabinet | 15 | 381 | 24 | 610 | 13 ½ | 343 | 38 | 17.2 |
| SCA30 | Storage cabinet | 15 | 381 | 30 | 762 | 13 ½ | 343 | 42 | 19.1 |
| SCA36 | Storage cabinet | 15 | 381 | 36 | 914 | 13 ½ | 343 | 49 | 22.2 |
| SCA48 | Storage cabinet | 15 | 381 | 48 | 1219 | 13 ½ | 343 | 58 | 26.3 |
| SCA60 | Storage cabinet | 15 | 381 | 60 | 1524 | 13 ½ | 343 | 68 | 30.8 |
| Rev 01/16/20 | | | | | | | | | |





PEDESTALS, HANGING AND MOBILE

- · Double-wall drawer fronts and drawer sides.
- Drawers feature ball-bearing slides with quick disconnect and antirebound features (full-extension slides on file drawers, ¾ extension on box drawers).
- Pedestals meet or exceed ANSI-BIFMA standards for safety and reliability.
- Mobile Pedestals include two front locking black casters, two rear non-locking black casters and have a solid metal top.
- Load capacity up to 50 lbs. per drawer; not to exceed 150 lbs. per unit.

NOTES —

- » Other drawer depths available; consult factory.
- » Pedestal drawers are keyed randomly and differently from the other. Contact factory for other keying options. Available key numbers are UM226 thru UM425.

How to Specify

Step 1. Product Number

PH Ped, HangingPMD Ped, Mobile

Step 2. Drawer Configuration


| HANG | GING | MOBILE |
|------|------|--------|
| 12 | 1212 | 1212 |
| 612 | 6612 | 612 |
| 6 | 66 | 666 |
| 666 | 6666 | 6666 |


Step 3. Paint Color Code

BK Black

GL Grey Light SmoothNW Neutral White

| Product | Description | Height | | Width | | Depth | | Weight | |
|---------|------------------------------|--------|------|-------|------|-------|------|--------|------|
| Number | Description | in. | [mm] | in. | [mm] | in. | [mm] | lb. | [kg] |
| PH12 | Ped, hanging file | 13 % | 346 | 15 | 381 | 18 | 457 | 28 | 12.7 |
| PH1212 | Ped, hanging file/file | 25 % | 651 | 15 | 381 | 18 | 457 | 49 | 22.2 |
| PH612 | Ped, hanging box/file | 19 % | 498 | 15 | 381 | 18 | 457 | 41 | 18.6 |
| PH6612 | Ped, hanging box/box/file | 25 % | 651 | 15 | 381 | 18 | 457 | 53 | 24.0 |
| PH6 | Ped, hanging box | 7 % | 194 | 15 | 381 | 18 | 457 | 22 | 10.0 |
| PH66 | Ped, hanging box/box | 13 % | 346 | 15 | 381 | 18 | 457 | 33 | 15.0 |
| PH666 | Ped, hanging box/box/box | 19 % | 498 | 15 | 381 | 18 | 457 | 45 | 20.4 |
| PH6666 | Ped, hanging box/box/box/box | 25 % | 651 | 15 | 381 | 18 | 457 | 55 | 24.9 |
| PMD1212 | Mobile ped, file/file | 27 ⅓ | 694 | 15 | 381 | 22 | 559 | 84 | 38.1 |
| PMD612 | Mobile ped, box/file | 22 % | 568 | 15 | 381 | 22 | 559 | 70 | 31.8 |
| PMD6612 | Mobile ped, box/box/file | 27 ⅓ | 694 | 15 | 381 | 22 | 559 | 84 | 38.1 |
| PMD666 | Mobile ped, box/box/box | 22 % | 568 | 15 | 381 | 22 | 559 | 75 | 34.0 |
| PMD6666 | Mobile ped, box/box/box/box | 27 ⅓ | 694 | 15 | 381 | 22 | 559 | 86 | 39.0 |
| | | | | | | | | | |





PENCIL DRAWER

- Black plastic drawers provide storage for pencils, pens, office accessories and other small items.
- Drawers mount under Ultra, Work and Peninsula Surfaces.
- · Load capacity 25 lbs.

— NOTES —

» Surfaces are not predrilled for Pencil Drawers.


How to Specify


Step 1. Product Number

PD2015BK

| Product | Description | | Height | | Width | | Depth | | ight |
|----------|---------------|--------|--------|--------|-------|------|-------|-----|------|
| Number | Description | in. | [mm] | in. | [mm] | in. | [mm] | lb. | [kg] |
| PD2015BK | Pencil drawer | 2 1//8 | 54 | 21 1/8 | 537 | 16 ¼ | 413 | 5 | 2.3 |

Rev 07/29/14





ACCESSORY MOUNTING BRACKETS

- Accessory Mounting Brackets suspend a Pencil Drawer, Tote Bearer or Hanging Pedestal from the underside of a 4-Legged Table.
- Brackets mount to the bottom of the surface with screws provided in the Accessory Mounting Bracket hardware pack.
- · Load capacity 150 lbs.
- Finish is black.

— NOTES —

» Works on all table depths with Peds, Tote Bearers and Pencil Drawers.


How to Specify


Step 1. Product Number

ASMBBK

| Product | Description | H | Height | | Width | | Depth | | ight |
|---------|-----------------------------|-----|--------|-------|-------|-----|-------|-----|------|
| Number | | in. | [mm] | in. | [mm] | in. | [mm] | lb. | [kg] |
| ASMBBK | Accessory mounting brackets | 2 | 51 | 1 1/4 | 32 | 16 | 406 | 5 | 2.3 |

Rev 08/19/14





UTILITY DISPENSER MOUNTING BRACKET

- Utility Dispenser Mounting Bracket provides a secure means of mounting a variety of dispensers or accessory items.
- Dispensers or accessory items may be tek-screwed, hung from the lip or mounted with double-sided tape (not provided).
- · Load capacity 20 lbs.

How to Specify

Step 1. Product Number

UDMB

Step 2. Paint Color Code

AWArctic WhiteGLGrey Light SmoothASArgent SilverGTGrey Light TextureBKBlackNWNeutral WhiteBTBlack TextureSTSand Texture

| Product | Description | | Height | | Width | | Depth | | ight |
|---------|------------------------------------|-------|--------|------|-------|-----|-------|-----|------|
| Number | Description | in. | [mm] | in. | [mm] | in. | [mm] | lb. | [kg] |
| UDMB | Utility dispenser mounting bracket | 4 3/4 | 121 | 12 ¾ | 324 | 2 ½ | 64 | 2 | 0.9 |

Rev 04/01/19