

SECTION 6. COMPUTER ACCESSORIES

CPU Holder .....6.2

Monitor Arms .....6.3

Monitor Arms, Add-On Posts .....6.4

Slatwall / Bin Rail.....6.5

Monitor Arm, Slatwall Mount.....6.5


Arm Mount Platform, Keyboard, Mouse Tray .....6.6


Notebook Holder.....6.6

Keyboard with Mouse Tray, Surface Mount.....6.7

Cable Tray .....6.8

Modesty Panel .....6.9






CPU HOLDER

CPU Holder provides vertical storage of central processing units below work surfaces. Sliding track allows unit to retract 9 inches and extend 4 inches from the front of the track. Unit swivels 360° for easy access. CPU Holder only mounts under standard and corner work surfaces > 24" deep.

- Fits CPUs 3-9 inches wide and 13.50-19.25 inches tall.
- Load capacity is 75 lbs.
- Finish is Black.







How to Specify

Step 1. Product Number  
CPUBBK



| Product Number | Description | Height  |         | Width  |         | Depth |      | Weight |      |
|----------------|-------------|---------|---------|--------|---------|-------|------|--------|------|
|                |             | in.     | [mm]    | in.    | [mm]    | in.   | [mm] | lb.    | [kg] |
| CPUBBK         | CPU holder  | 18-23 ¾ | 456-603 | 6½-12½ | 165-317 | 16    | 406  | 5      | 2.3  |

Rev 07.10.26



## MONITOR ARMS

### Manual Flat Screen Arms

Arms support monitors and accessories weighing up to 15 lbs. Arms feature built-in cable management and 360° rotation for portrait or landscape viewing. Both 75mm and 100mm VESA mounting brackets are included.

- Surface Mount (**FSS1**) clamps to the edge of surfaces ranging from ½" to 2¾" thick.
- Bolt Mount (**FSB1**) bolts through a ½" to 3" diameter hole in surfaces up to 1½" thick.

### Spring Adjustable Flat Screen Arm (FSS1DP)

Arms clamp to ½" to 2¾" thick surfaces and support monitors and accessories weighing up to 15 lbs. Arms feature 360° rotation for portrait or landscape viewing and a 10½" height adjustment range. Both 75mm and 100mm VESA mounting brackets are included.

### Vertical Adjustment Mechanism (FSVAMBK)

The front vertical adjustment mechanism can be added to any arm to provide 9" of vertical adjustment without manual repositioning on post for flat screen monitors weighing up to 15 lbs. Finish is Silver with Black trim only.

Additional multiple monitor combinations available upon request. Consult factory for ordering information.

### How to Specify

#### Step 1. Product Number

|              |              |             |            |
|--------------|--------------|-------------|------------|
| <b>FSS1</b>  | Clamp Mount  | <b>FSB1</b> | Bolt Mount |
| <b>PFSU1</b> | Saddle Mount | <b>FSA1</b> | Add-on Arm |

#### Step 2. Arm Mount



|           |                                        |           |                    |
|-----------|----------------------------------------|-----------|--------------------|
| <b>SM</b> | Single Arm, Manual                     | <b>DM</b> | Double Arm, Manual |
| <b>DP</b> | Double Arm, Dynamic (Clamp Mount only) |           |                    |

#### Step 3. Finish Color Code

|           |                                   |
|-----------|-----------------------------------|
| <b>BK</b> | Black                             |
| <b>SG</b> | Silver with Grey Trim             |
| <b>WA</b> | Polished Aluminum with White Trim |

| Product Number | Description                                     | Height |      | Depth |      | Weight |      |
|----------------|-------------------------------------------------|--------|------|-------|------|--------|------|
|                |                                                 | in.    | [mm] | in.   | [mm] | lb.    | [kg] |
| FSS1SM         | Manual adj., clamp mount, 1 monitor, single arm | 13 ¾   | 349  | 6 ½   | 165  | 12     | 5.4  |
| FSS1DM         | Manual adj., clamp mount, 1 monitor, double arm | 13 ¾   | 349  | 8 ½   | 216  | 13     | 5.9  |
| FSB1SM         | Manual adj., bolt mount, 1 monitor, single arm  | 13 ¾   | 349  | 6 ½   | 165  | 12     | 5.4  |
| FSB1DM         | Manual adj., bolt mount, 1 monitor, double arm  | 13 ¾   | 349  | 8 ½   | 216  | 13     | 5.9  |
| FSS1DP         | Spring adjustable, 1 monitor, double arm        | 13 ¾   | 349  | 26    | 660  | 14     | 6.4  |
| FSVAMBK        | Flat screen vertical adjustment mechanism       | 13 ¾   | 349  | 1 ⅝   | 41   | 4      | 1.8  |
| PFSU1SM        | Saddle mount, 1 monitor, single arm             | 7 ¼    | 185  | 13    | 32   | 12     | 5.4  |
| PFSU1DM        | Saddle mount, 1 monitor, double arm             | 9 ½    | 239  | 21    | 53   | 13     | 5.9  |
| FSA1SM         | Add-on arm, 1 monitor, single arm               | 5 ¼    | 133  | 11 ½  | 292  | 10     | 4.5  |
| FSA1DM         | Add-on arm, 1 monitor, double arm               | 7 ¼    | 184  | 19 ¼  | 489  | 11     | 4.9  |

Rev 07.10.26



MONITOR ARMS, ADD-ON POSTS

Add-on Post with articulating flat screen arms make it easy to manually adjust your monitor's placement to reduce eye, neck, and back strains.

- Extension arm extends in or out and can be rotated up to 360 degrees. Height is adjustable along the length of the post-mounted base.
- Can be used in conjunction with a separate keyboard or notebook holder.
- Supports monitors/accessories weighing up to 15 lbs.

How to Specify

Step 1. Product Number

- FSP1    Monitor Arm, Add-on Post  
FSL1    Monitor Arm Set, Add-on

Step 2. Arm


- NM    No Arm  
SM    Single Arm  
DM    Double Arm  
DP    Spring Adjustable Double Arm (*FSP1 only\**)  
*\*FSP1: See SIP Catalog, page 11.7*

Step 3. Finish Color Code

- BK    Black  
SG    Silver with Grey Trim  
WA    Polished Aluminum with White Trim

| Product Number | Description                                                     | Height |      | Depth |      | Weight |      |
|----------------|-----------------------------------------------------------------|--------|------|-------|------|--------|------|
|                |                                                                 | in.    | [mm] | in.   | [mm] | lb.    | [kg] |
| FSP1NM         | 12" post, no arm, 1 monitor                                     | 13     | 330  | 3 ¾   | 95   | 10     | 5.0  |
| FSP1SM         | 12" post, 1 arm, 1 monitor                                      | 13     | 330  | 11 ½  | 292  | 12     | 5.0  |
| FSP1DM         | 12" post, 2 arms, 1 monitor                                     | 13     | 330  | 19 ¼  | 489  | 13     | 6.0  |
| FSL1SM         | Arm set, single, 8" straight arm, 1 monitor                     | 5 ¼    | 133  | 11 ½  | 292  | 7      | 3.0  |
| FSL1DM         | Arm set, double, 8" straight arms, 1 monitor                    | 7 ¼    | 184  | 19 ¼  | 489  | 10     | 5    |
| FSL1DP         | Arm set, single, 8" straight arm, single dynamic arm, 1 monitor | 13 ¾   | 349  | 26    | 660  | 14     | 6.5  |

### SLATWALL / BIN RAIL



Slatwall / Bin Rail provides for mounting and horizontal adjustment of slatwall-mounted arms and industry standard slatwall components. Rail mounts to Riser Frame and adjusts vertically in one inch increments. Load capacity is 40 pounds.

- Holds standard plastic part bins, *sold separately*. See page 7.6.
- Supports a flat panel mount or single monitor arm.

#### How to Specify

##### Step 1. Product Number

**PSBR**


##### Step 2. Width

**24** 24" wide    **30** 30" wide    **36** 36" wide

##### Step 3. Paint Color Code

**AS** Argent Silver    **GL** Grey Light  
**AW** Arctic White    **NW** Neutral White  
**BK** Black

### MONITOR ARM, SLATWALL MOUNT



- Arm includes both 75mm and 100mm VESA mounting brackets and supports monitor / accessories weighing up to 15 pounds.
- Provides 360° view in portrait or landscape, with built-in cable management.
- A Vertical Adjustment Mechanism (FSVAMBK) can be added to the arm to provide 9" of vertical adjustment. Finish is Silver with Black trim only. See page 6.3.

#### How to Specify

##### Step 1. Product Number


**FSW1NM** Slatwall Mount, 1 monitor, no arm  
**FSW1SM** Slatwall Mount, 1 monitor, single arm

##### Step 2. Finish Color Code

**BK** Black  
**SG** Silver with Grey Trim  
**WA** Polished Aluminum with White Trim

| Product Number | Description                     | Height |      | Width |      | Depth |      | Weight |      |
|----------------|---------------------------------|--------|------|-------|------|-------|------|--------|------|
|                |                                 | in.    | [mm] | in.   | [mm] | in.   | [mm] | lb.    | [kg] |
| PSBR24         | Slatwall / bin rail             | 3 ½    | 89   | 24    | 610  | 2     | 48   | 5      | 2.3  |
| PSBR30         | Slatwall / bin rail             | 3 ½    | 89   | 30    | 762  | 2     | 48   | 7      | 2.9  |
| PSBR36         | Slatwall / bin rail             | 3 ½    | 89   | 36    | 914  | 2     | 48   | 8      | 3.4  |
| FSW1NM         | Slatwall, 1 monitor, no arm     | 3 ¾    | 95   |       |      | 5     | 127  | 2      | 1.0  |
| FSW1SM         | Slatwall, 1 monitor, single arm | 4 ¼    | 108  |       |      | 12    | 292  | 8      | 3.4  |

Rev 07.10.26



**ARM MOUNT PLATFORM, KEYBOARD, MOUSE TRAY**

Arm Mount Platform can help save valuable space on a work surface and mounts to all Symbiote Monitor Arms. Load capacity is 15 pounds.

- Keyboard Tray measures 10<sup>5</sup>/<sub>8</sub>" deep by 20<sup>3</sup>/<sub>8</sub>" wide and includes a black non-skid pad and removable foam wrist rest.
- Mouse Tray measures 9" round in diameter and can mount on the left or right side of Keyboard Tray. Includes a black non-skid pad and can swivel 270° allowing it to hide under the Keyboard Tray when not being used.
- Finish is Black.

**How to Specify**

Step 1. Product Number  
**FSKTBK**

**NOTEBOOK HOLDER**


The Notebook Holder has an adjustable tray and supports notebooks up to 18" for a more ergonomic workspace.

- Attaches to any Monitor Arm, sold separately, (see page 6.3), for positioning at the optimum height and focal length.
- Viewing angle can be tilted up to 35° forward to reduce screen glare.
- Tray supports notebooks/accessories weighing up to 12 lbs.

**How to Specify**


Step 1. Product Number  
**FSNB**

Step 2. Finish Color Code  
**SG** Silver  
**WA** White



| Product Number | Description                   | Width  |      | Depth  |      | Weight |      |
|----------------|-------------------------------|--------|------|--------|------|--------|------|
|                |                               | in.    | [mm] | in.    | [mm] | lb.    | [kg] |
| FSKTBK         | Flat screen keyboard platform | 20 1/8 | 511  | 14 3/4 | 375  | 6.5    | 2.9  |
| FSNB           | Notebook holder               | 14     | 356  | 11     | 279  | 5.0    | 2.0  |

Rev 07.10.26



KEYBOARD WITH MOUSE TRAY, SURFACE MOUNT

The 10<sup>5</sup>/<sub>8</sub>" deep by 20<sup>1</sup>/<sub>8</sub>" wide platform provides storage for keyboards beneath surfaces. Includes a black non-skid pad and a removable foam wrist rest that leaves 8" of usable tray depth when in place. Keyboard mechanisms adjust in height with a simple one-handed motion without the use of locks, levers or knobs. Unique angle adjustment levers allow users to simply adjust the angle by sliding the lever from left to right.

The included 9" diameter round Mouse Tray mounts on the left or right side of Keyboard Tray and swivels 360° to hide under the trays when not being used. Includes a black non-skid pad and movable stopper to protect the mouse from falling off the tray.

- Trays feature 4<sup>1</sup>/<sub>4</sub>" of spring assisted vertical travel and have a tilt adjustment range of 0 to -10°.
- Trays swivel 360° and sliding tracks provide 16" travel range allowing trays to retract under surfaces. In the forward most position, the front of the Keyboard Tray extends 14" from the front of the surface.
- Keyboard Tray only mounts under standard and corner work surfaces > 24" deep.
- Load capacity is 25 lbs.
- Finish is Black.


How to Specify

Step 1. Product Number

KTAMBK

| Product Number | Description   | Height                        |      | Width                          |      | Depth                          |      | Weight |      |
|----------------|---------------|-------------------------------|------|--------------------------------|------|--------------------------------|------|--------|------|
|                |               | in.                           | [mm] | in.                            | [mm] | in.                            | [mm] | lb.    | [kg] |
| KTAMBK         | Surface mount | 4 <sup>3</sup> / <sub>4</sub> | 121  | 29 <sup>1</sup> / <sub>2</sub> | 749  | 21 <sup>3</sup> / <sub>4</sub> | 552  | 15     | 6.8  |

Rev 07.10.26



CABLE TRAY

Cable Trays organize your power and data cables neatly and efficiently under the work surface. Cords and devices move safely in unison while raising and lowering the adjustable ErgoStat Pro Base.

- The Cable Tray is made of high-quality steel and is powder coated.
- Attaches to the back of the Base with an aluminum rail using two mounting holes.
- Load capacity is 15 lbs.

How to Specify

Step 1. Product Number

PCTA

Step 2. Width

- 36 36" wide
- 42 42" wide
- 48 48" wide
- 60 60" wide
- 72 72" wide


Step 3. Paint Color Code

- AS Argent Silver
- AW Arctic White
- BK Black

| Product Number | Description    | Height |      | Width |      | Depth |      | Weight |      |
|----------------|----------------|--------|------|-------|------|-------|------|--------|------|
|                |                | in.    | [mm] | in.   | [mm] | in.   | [mm] | lb.    | [kg] |
| PCTA36         | 36" base mount | 4 ¾    | 121  | 29    | 737  | 5     | 127  | 6      | 2.7  |
| PCTA42         | 42" base mount | 4 ¾    | 121  | 35    | 889  | 5     | 127  | 7      | 3.2  |
| PCTA48         | 48" base mount | 4 ¾    | 121  | 41    | 1041 | 5     | 127  | 9      | 3.9  |
| PCTA60         | 60" base mount | 4 ¾    | 121  | 53    | 1346 | 5     | 127  | 11     | 5.0  |
| PCTA72         | 72" base mount | 4 ¾    | 121  | 65    | 1651 | 5     | 127  | 13     | 5.9  |

Rev 07.10.26





MODESTY PANEL

The Modesty Panel adds privacy and aesthetics to your workspace—a great solution for the open-concept office or lab area. Made of fabric, the Modesty Panel hangs from an aluminum rail from the underside of the ErgoStat Pro Base.

- Modesty Panels deliver better privacy in a sleek design with two inside sewn pockets to store unsightly cables.
- Included cable tray helps to organize power and data cables.

How to Specify

Step 1. Product Number

PMP

Step 2. Width

- 36 36" wide
- 42 42" wide
- 48 48" wide
- 60 60" wide
- 72 72" wide

Step 3. Fabric Color Code

BLK Black

Step 4. Paint Color Code

- AS Argent Silver
- AW Arctic White
- BK Black

| Product Number | Description    | Height |      | Width |      | Depth |      | Weight |      |
|----------------|----------------|--------|------|-------|------|-------|------|--------|------|
|                |                | in.    | [mm] | in.   | [mm] | in.   | [mm] | lb.    | [kg] |
| PMP36          | 36" base mount | 14 ¼   | 362  | 29    | 737  | 5     | 127  | 4      | 1.8  |
| PMP42          | 42" base mount | 14 ¼   | 362  | 35    | 889  | 5     | 127  | 5      | 2.3  |
| PMP48          | 48" base mount | 14 ¼   | 362  | 41    | 1041 | 5     | 127  | 6      | 2.7  |
| PMP60          | 60" base mount | 14 ¼   | 362  | 53    | 1346 | 5     | 127  | 8      | 3.6  |
| PMP72          | 72" base mount | 14 ¼   | 362  | 65    | 1651 | 5     | 127  | 11     | 5.0  |

Rev 07.10.26

this page left  
BLANK

SYMBIOTE